

Code	Finish	Ceiling Type	Size	Delivered Lumens	Total System Wattage	Efficacy (lm/cw)	Colour Temp	CRI
<b>N/A</b>	White	SAS130	600x600	1863	13.3	140.1	4000K	>80
<b>N/A</b>	White	SAS130	600x600	2794	19.9	140.4	4000K	>80
<b>N/A</b>	White	SAS150	1200x300	2689	17.7	151.9	4000K	>80
<b>N/A</b>	White	SAS150	1200x300	3897	27.9	139.7	4000K	>80
<b>N/A</b>	White	SAS330	1200x300	2689	17.7	151.9	4000K	>80
<b>N/A</b>	White	SAS330	1200x300	3897	27.9	139.7	4000K	>80

**PLEASE NOTE:** Due to the variety of SAS ceiling types, many variations are available. We have listed nominal versions to give an indication of our product range. Please contact us if the size you require is not listed.

- 500x500, 600x600, 1200x300 and 1500x300 sizes available
- 5 year warranty
- See website for LDT files
- For BIM models, please contact us
- See website for Technical Data Sheet

## SAS CEILING LED LUMINAIRE

### Construction

- Lightweight aluminium frame
- White powder coated finish
- Aluminium reflector and heat sink
- European Branded Driver

### Features

- Ultra slim design
- Microprismatic diffuser

### Applications

- Commercial and Business Areas
- Public buildings
- Hospitals
- Offices
- Hotels and Restaurants
- Arts and Culture spaces

### Benefits

- Easy to install
- Bespoke for all SAS ceiling types
- Supports UGR19 schemes
- Mount within SAS ceilings

### Optical Options

Code	Description
N/A	Micro Prismatic

### CCT Options

Code	Description
4K8	4000K
3K8	3000K

### Control Options

Code	Description
D	DALI
F	Fixed Output

### Finish Options

Code	Description
W	White RAL 9016 (Standard)

Please contact Sales for custom colours.

### Emergency Options


Code	Description
/EM	3 hour maintained, manual test
/ED	3 hour maintained, DALI / Self Test

For emergency version, add onto end of part number as required


## SAS CEILING LED LUMINAIRE

### SAS 130

Section and detail drawings




### SAS 150




## SAS CEILING LED LUMINAIRE

### SAS 330


Section Drawing



French hook



With gasket



Without gasket

